

# DSM 5 Diagnostic Codes Related to Substance Use Disorders

Published on BupPractice (<http://local.buppractice.com>)

## [DSM 5 Diagnostic Codes Related to Substance Use Disorders \[1\]](#)

**Description:** DSM-IV and DSM 5 Diagnostic Codes Related to Substance Use Disorders  
 (\*Note: DSM 5 was released in May 2013 and includes significant changes to diagnosis. For example, it does away with separate "dependence" and "abuse" diagnoses and combines them into "substance use disorder.")

**The ICD-10 compliance date is October 1, 2015.**

This is a table listing the diagnostic codes for substance use disorders.

DSM-IV Diagnostic Codes (ICD-9-CM)	DSM-5 Diagnostic Codes (ICD-10-CM)	Substance Use Disorder
<ul style="list-style-type: none"> <li>• 303.00</li> </ul>	<ul style="list-style-type: none"> <li>• F10.129</li> <li>• F10.229</li> <li>• F10.929</li> </ul> <p>(Selected code depends on presence and severity of comorbid alcohol use disorder)</p>	Alcohol Intoxication
<ul style="list-style-type: none"> <li>• 305.00 - Alcohol Abuse</li> <li>• 303.90 - Alcohol Dependence</li> </ul>	<ul style="list-style-type: none"> <li>• F10.10</li> <li>• F10.20</li> </ul> <p>(Selected code depends on number of symptoms present)</p>	Alcohol Use Disorder
<ul style="list-style-type: none"> <li>• 304.00 - Opioid Dependence</li> <li>• 305.50 - Opioid Abuse</li> </ul>	<ul style="list-style-type: none"> <li>• F11.10</li> <li>• F11.20</li> </ul> <p>(Selected code depends on number of symptoms present)</p>	Opioid Use Disorder
<ul style="list-style-type: none"> <li>• 292.89</li> </ul>	<p>For opioid intoxication without perceptual disturbances:</p> <ul style="list-style-type: none"> <li>• F11.129 (with comorbid mild opioid use disorder)</li> <li>• F11.229 (with comorbid moderate or severe opioid use disorder)</li> <li>• F11.929 (with no comorbid opioid use disorder)</li> </ul>	Opioid Intoxication

## DSM 5 Diagnostic Codes Related to Substance Use Disorders

Published on BupPractice (<http://local.buppractice.com>)

	For opioid intoxication with perceptual disturbances:	
	<ul style="list-style-type: none"> <li>• F11.122 (with comorbid mild opioid use disorder)</li> <li>• F11.222 (with comorbid moderate or severe opioid use disorder)</li> <li>• F11.922 (with no comorbid opioid use disorder)</li> </ul>	
• 292.0	<ul style="list-style-type: none"> <li>• F11.23</li> </ul> <p>(Code indicates presence of comorbid moderate or severe opioid use disorder)</p>	Opioid Withdrawal
• 292.9	<ul style="list-style-type: none"> <li>• F11.99</li> </ul>	Unspecified Opioid-Related Disorder
<ul style="list-style-type: none"> <li>• 304.10 - Sedative, Hypnotic, or Anxiolytic Dependence</li> <li>• 305.40 - Sedative, Hypnotic, or Anxiolytic Abuse</li> </ul>	<ul style="list-style-type: none"> <li>• F13.10</li> <li>• F13.20</li> </ul> <p>(Selected code depends on number of symptoms present)</p>	Sedative, Hypnotic, or Anxiolytic Use Disorder
<ul style="list-style-type: none"> <li>• 304.20 - Cocaine Dependence</li> <li>• 305.60 - Cocaine Abuse</li> </ul>	<ul style="list-style-type: none"> <li>• F14.10</li> <li>• F14.20</li> </ul> <p>(Selected code depends on number of symptoms present)</p>	Cocaine Use Disorder
<ul style="list-style-type: none"> <li>• 304.30 - Cannabis Dependence</li> <li>• 305.20 - Cannabis Abuse</li> </ul>	<ul style="list-style-type: none"> <li>• F12.10</li> <li>• F12.20</li> </ul> <p>(Selected code depends on number of symptoms present)</p>	Cannabis Use Disorder
<ul style="list-style-type: none"> <li>• 304.50 - Hallucinogen Dependence</li> <li>• 305.30 - Hallucinogen Abuse</li> </ul>	<ul style="list-style-type: none"> <li>• F16.10</li> <li>• F16.20</li> </ul> <p>(Selected code depends on number of symptoms present)</p>	Other Hallucinogen Use Disorder
<ul style="list-style-type: none"> <li>• 305.90 - Inhalent Abuse</li> <li>• 304.60 - Inhalent Dependence</li> </ul>	<ul style="list-style-type: none"> <li>• F18.10</li> <li>• F18.20</li> </ul> <p>(Selected code depends on number of symptoms present)</p>	Inhalent Use Disorder
• 304.80		Polysubstance

## DSM 5 Diagnostic Codes Related to Substance Use Disorders

Published on BupPractice (<http://local.buppractice.com>)

		Dependence
<ul style="list-style-type: none"> <li>• 304.90 - Other (or Unknown) Substance Dependence</li> <li>• 305.90 - Other (or Unknown) Substance Abuse</li> </ul>	<ul style="list-style-type: none"> <li>• F19.10</li> <li>• F19.20</li> </ul> <p>(Selected code depends on number of symptoms present)</p>	Other (or Unknown) Substance Use Disorder
<ul style="list-style-type: none"> <li>• 305.10 - Nicotine Dependence</li> </ul>	<ul style="list-style-type: none"> <li>• Z72.0</li> <li>• F17.200</li> </ul> <p>(Selected code depends on number of symptoms present)</p>	Tobacco Use Disorder
<ul style="list-style-type: none"> <li>• 305.70 - Amphetamine Abuse</li> <li>• 304.40 - Amphetamine Dependence</li> </ul>	<ul style="list-style-type: none"> <li>• F15.10</li> <li>• F15.20</li> </ul> <p>(Selected code depends on number of symptoms present)</p>	Amphetamine Use Disorder
<ul style="list-style-type: none"> <li>• 305.90</li> </ul>	<ul style="list-style-type: none"> <li>• F15.929</li> </ul>	Caffeine Intoxication
<ul style="list-style-type: none"> <li>• 305.90 - Caffeine Intoxication, Inhalent Abuse, or Other (or Unknown) Substance Abuse</li> <li>• 304.60 - Inhalent Dependence</li> </ul>	<ul style="list-style-type: none"> <li>• F16.10</li> <li>• F16.20</li> </ul> <p>(Selected code depends on number of symptoms present)</p>	Phencyclidine Use Disorder

For a complete list of ICD-10-CM codes, visit the World Health Organization's website.

### Links:

[1] <http://local.buppractice.com/node/2633>