

**Test User** got 5 of 5 possible points on the Buprenorphine Training Activity v4.0 For Physicians Pre-Test.


Total score: 100 %


## Question Results


Question #1 of 5:


*Multiple choice question*

**Which of the following statements is true regarding heroin use and prescription drug misuse?**

 The prevalence of prescription pain reliever overdose is significantly lower than heroin overdose.

 Heroin overdose deaths have decreased since around 2010.

 Prescription pain reliever misuse is more common than heroin use

 Heroin use is rarely seen among suburban, middle-class individuals

---

**Response:**

Prescription drug misuse is rare in low socioeconomic, urban settings

Heroin use has decreased in low socioeconomic, urban settings

Prescription drug misuse has increased in all settings



**Feedback:**


CORRECT

Heroin use is rarely seen among suburban, middle-class individuals


**Question #2 of 5:**


*Multiple choice question*

**How does the risk of suicide in people who misuse opioids compare to those who do not?**

 About the same

 3 to 37 times higher

 33 to 100 times higher

 10% lower

---

**Response:**

No higher

3 to 37 times higher



**Feedback:**

CORRECT

33 to 100 times higher

103 to 300 times higher


**Question #3 of 5:**

*Multiple choice question*

**Which term best describes the neurological adaptation in which sensitivity to opioids decreases?**

 Withdrawal

---

 Addiction

 Physical dependence

 Tolerance

---

**Response:**

Withdrawal

Tolerance



**Feedback:**

CORRECT


Physical dependence


Addiction


**Question #4 of 5:**

*Multiple choice question*

**Which of the following would be contraindicated as a treatment for anxiety for a patient on buprenorphine maintenance?**

 A benzodiazepine

 An antidepressant

 A referral for psychiatric counseling

 None of the above are contraindicated

---

**Response:**

A benzodiazepine



**Feedback:**

CORRECT

An antidepressant

A referral for psychiatric counseling

All of the above are inappropriate

**Question #5 of 5:**

*Multiple choice question*

**Which of the following is an allowable exception to the disclosure/confidentiality rules for patients being treated with buprenorphine?**



Patient information may be shared among staff members, including the record-keeping and billing departments.



If the patient has a criminal record, the treatment facility has the right to notify the police in case future problems arise.



In medical emergencies, the patient's treatment information may be disclosed to the patient's family.



In cases of a patient suspected of an unrelated crime, the perpetrator may be identified to the police as receiving substance abuse treatment.

---

**Response:**



Patient information may be shared among staff members, including the record-keeping and billing departments.

**Feedback:**

CORRECT

If the patient has a criminal record, the treatment facility has the right to notify the police in case future problems arise.

In medical emergencies, the patient's treatment information may be disclosed to the patient's family.

In cases of child abuse or neglect, the perpetrator may be identified as receiving substance abuse treatment.

---